

Flexibility without compromise

- 
- ◊ Efficient from the Start
 - ◊ Maximum Flexibility
 - ◊ Prepared for all Eventualities

For effective use
of Lab Resources

LIAISON®

The LIAISON® analyzer combines flexible operating mode with a broad assay menu and leads to high efficiency due to its long walk-away time. The possibility to run up to 15 different assays at a time provides rational everyday testing even for low numbers of samples. Moreover, a throughput of up to 180 determinations per hour allows LIAISON® to cope easily with a very high volume of samples. It is easy to use due to its touch-screen monitor, clear software structure and the Reagent Integral which contains all assay-specific reagents.



Efficient from the Start

- A stacker holds the reaction modules
- The stacker can hold up to 120 reaction modules or 720 determinations
- Easy reloading even during operation is assured



Maximum Flexibility

- Random access, STAT or Batch testing modes
- Rack system for loading up to 144 samples
- All common primary tubes accepted in 3 different racks
- Continuous reloading
- Flexible dilution protocol
- Automatic dilution
- Auto-reflex testing
- Barcode identification

LIAISON


Meeting all your needs



SON®

our requirements

LIAISON® work station



System Features

Modes of Operation

- Random Access
- Batch
- STAT function

Sample Loading

- 144 primary tubes of varying size in racks of 12 samples each
- Continuous reloading

Reagent Loading

- 15 assays available, allowing up to 1,500 determinations
- Continuous reloading
- Reagent cooling

Reagent Concept

- All assay components are provided ready to use in the Reagent Integral
- Super paramagnetic microparticles
- Chemiluminescence

Calibration Concept

- Master curve procedure with 2-point calibration
- Stable calibration for 2 to 6 weeks

Performance Data

- Maximum throughput: 180 tests/hour
- Average throughput: 100-140 tests/hour
- Walk-away time: at least six hours or 720 tests
- Time to first result: 17 mins

Further System Features

- Clot detection
- Barcode concept for samples and reagents
- Continuous reagent and liquid inventory
- Variable dilution protocols (assay- or patient-specific)
- Auto reflex testing
- Automatic dilution of high-titre samples
- Constant incubation temperature of 37 °C
- Operation at ambient temperatures between 15 °C and 30 °C

EDP Connection

- Bi-directional connection to host computer (ASTM protocol)

Dimensions

- Width/depth/height: 136x66x63 cm (needs bench top)
- Weight: 95 kg



Hardware and Software

- IBM-compatible PC
- Colour monitor (touchscreen)

Reagent integral




- All components ready to use in one Integral
- Continuous reloading
- Barcode identification




SON®

our requirements



Prepared



for all Eventualities

- Wide product menu both for routine and speciality assays
- Ready to use reagent integral
- Up to 15 assays on board
- Continuous reloading
- On board reagent cooling
- Long on board stability
- Master curve with 2-point calibration
- Barcode identification

For effective use



of Lab Resources

- Throughput up to 180 tests/hour
- Long walk-away time
- Short hands-on time
- Short time to first result



Reagent Loading

- All reagents are ready to use
- 15 integrals may be loaded at the same time

The LIAISON® Family Collection

Dedicated to Content



BONE & MINERAL
 25-OH Vitamin D TOTAL
 N-TACT® PTH Gen II
 1-84 PTH
 Osteocalcin
 BAP OSTASE®
 1,25 dihydroxyvitamin D⁽¹⁾
 FGF 23
 Sclerostin (RUO -
 For Research Use Only)



THYROID
 TSH (3rd Gen.)
 Free T3
 Free T4
 T3
 T4
 Tg Gen II
 Tg Gen II Confirmatory
 Anti-Tg
 Anti-TPO



REPRODUCTIVE ENDOCRINOLOGY
 LH
 FSH
 Prolactin
 Progesterone
 Testosterone
 Estradiol
 hCG/β-hCG
 Androstenedione
 SHBG



ANAEMIA
 Ferritin
 Folate⁽¹⁾
 Vitamin B12⁽¹⁾



AUTOIMMUNITY
 ANA Screen⁽²⁾
 dsDNA⁽²⁾
 tTG IgA
 ENA Screen⁽²⁾
 Cardiolipin IgG⁽²⁾
 Cardiolipin IgM⁽²⁾



TUMOUR MARKERS
 CEA
 Free PSA
 Total PSA
 CA 15-3®
 CA 125 II™
 CA 19-9™
 TPA®-M
 NSE
 S100
 AFP
 hCG/β-hCG
 Tg Gen II
 β2-Microglobulin
 TK
 Calcitonin



HYPERTENSION
 Direct Renin
 Aldosterone



ADRENAL FUNCTION
 ACTH
 Cortisol
 DHEA-S



GROWTH
 hGH
 IGF-I



DIABETES
 C-Peptide
 Insulin



SEPSIS
 BRAHMS PCT® II Gen



VIRAL HEPATITIS AND RETROVIRUSES
 Anti-HAV
 HAV IgM
 HBsAg⁽²⁾
 HBsAg Quant⁽¹⁾
 HBsAg Confirmatory test
 Anti-HBs
 Anti-HBs plus
 Anti-HBc
 HBc IgM
 HBeAg
 Anti-HBe
 HCV Ab⁽¹⁾
 Anti-HDV
 HEV IgG**
 HEV IgM**
 HIV Ab/Ag⁽¹⁾
 HIV Ab/Ag HT⁽¹⁾
 HTLV I/II⁽¹⁾



CHAGAS
 Chagas IgG⁽¹⁾



TREPONEMA
 Treponema Screen



EBV
 EBV IgM
 VCA IgG
 EBNA IgG
 EA IgG



TORCH
 Toxo IgG
 Toxo IgM
 Toxo IgG Avidity
 Rubella IgG II
 Rubella IgM
 CMV IgG
 CMV IgM
 CMV IgG Avidity
 HSV-1/2 IgG
 HSV-1 IgG
 HSV-2 IgG
 HSV-1/2 IgM
 Parvovirus B19 IgG
 Parvovirus B19 IgM



BORRELIA
Borrelia burgdorferi IgG
Borrelia burgdorferi IgM



VZV
 VZV IgG
 VZV IgM



MYCOPLASMA
Mycoplasma pneumoniae IgG
Mycoplasma pneumoniae IgM



MEASLES & MUMPS
 Measles IgG
 Measles IgM
 Mumps IgG
 Mumps IgM



CHLAMYDIA
Chlamydia T. IgG
Chlamydia T. IgA



BORDETELLA
Bordetella pertussis Toxin IgG
Bordetella pertussis Toxin IgA



TUBERCULOSIS
 QuantiFERON®-TB Gold Plus⁽¹⁾



H. PYLORI
H. pylori IgG



ZIKA
 Zika Capture IgM II⁽¹⁾



STOOL DIAGNOSTICS
C. difficile GDH
C. difficile Toxin A and B
 Meridian *H. pylori* SA
 EHEC
 Rotavirus
 Adenovirus
 Calprotectin
Campylobacter Ag
 Elastase-1⁽¹⁾

** Under Development

1 - Available on LIAISON® XL only

2 - Available on LIAISON® only

QuantiFERON®-TB Gold Plus
 is a registered trademark of QIAGEN

Product availability subject to required regulatory approval

FOR OUTSIDE THE US AND CANADA ONLY

DiaSorin S.p.A.
 Via Crescentino
 13040 Saluggia (VC) - Italy
 Tel. +39.0161.487526
 Fax: +39.0161.487670
www.diasorin.com
 E-mail: info@diasorin.it

DiaSorin

The Diagnostic Specialist

M0870004124/AL 07/19